EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	(p2p or (peer near4 peer)) and (pipe near4 advertisement)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/31 13:44
L2	668	(p2p or (peer near4 peer)).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/31 13:44
L3	75	(p2p or (peer near4 peer)).ti. and bind$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/31 13:45
L4	33	(p2p or (peer near4 peer)).ti. and bind$3 and pipe	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/31 13:52
L5	1	("20020184358").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/31 13:52
S2	46	(p2p or (peer near4 peer)) and (pipe near4 advertisement) and bind$3 and identifier	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:16
S3	46	(p2p or (peer near4 peer)) and (pipe near4 advertisement) and bind$3 and identifier and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:22
S4	58	(p2p or (peer near4 peer)) and (pipe) and bind$3 and identifier and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:30
S5	45	(p2p or (peer near4 peer)) and (bind$3 near4 peer) and identifier and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:31
S6	50	(p2p or (peer near4 peer)) and (bind$3 near4 peer) and identifier and (discover$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:33
S7	188	(p2p or (peer near4 peer)) and (peer near4 group$3) and identifier and (discover$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:33
S8	56	(p2p or (peer near4 peer)) and (peer near4 group$3) and identifier and (discover$3) and (plat$form near4 protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 16:43
S9	1	("20020188657").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/10 18:35

EAST Search History

S10	16	(("20020004815") or ("20020010781") or ("20020065946") or ("6571253") or ("6574655") or ("6687735") or ("6772216") or ("6782542") or ("6779004") or ("6807565") or ("6823522") or ("20050022210") or ("6854120") or ("5764982") or ("6199136") or ("6438618")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/10 17:11
S11	7	S10 and peer	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:20
S12	96	(p2p or (peer near4 peer)) and (pipe near5 channel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:24
S13	68	(p2p or (peer near4 peer)) and (pipe near5 channel) and discover$3 and bind$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:21
S14	67	(p2p or (peer near4 peer)) and (pipe near5 channel) and discover$3 and bind$3 and group$3 and member	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:22
S15	35	(p2p or (peer near4 peer)) and (pipe near5 channel) and discover$3 and bind$3 and group$3 and member and (peer near5 node)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:22
S16	67	(p2p or (peer near4 peer)) and (pipe near5 channel) and discover$3 and bind$3 and group$3 and member and join$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:22
S17	90	(p2p or (peer near4 peer)) and (pipe) and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:06
S18	60	(p2p or (peer near4 peer)) and (pipe) and (peer near4 group$3) and bind$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 17:25
S19	1	("6061796").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/10 17:35
S20	110	(p2p or (peer near4 peer)) and upnp and path	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:06
S21	3	(("6438618") or ("6199136") or ("5764982")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/10 18:35
S22	1061	(p2p or (peer near4 peer) near4 platform)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:41

EAST Search History

S23	147	((p2p or (peer near4 peer)) near4 platform)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:42
S24	51	((p2p or (peer near4 peer)) near4 platform) and discover$3 and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:43
S25	858	((p2p or (peer near4 peer)) near4 shar$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:43
S26	99	((p2p or (peer near4 peer)) near4 shar$3) and discover$3 and (peer near4 group$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:51
S27	60	((p2p or (peer near4 peer)) near4 shar$3) and discover$3 and (peer near4 group$3) and bind$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:45
S28	612	((p2p or (peer near4 peer)) near4 networking)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:51
S29	55	((p2p or (peer near4 peer)) near4 networking) and (plurality near4 node) and (discover$3 near4 peer)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:52
S30	67	((p2p or (peer near4 peer)) near4 networking) and (discover$3 near4 peer) and (peer near4 group)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 18:54
S31	68	((p2p or (peer near4 peer)) near4 networking) and (discover$3 near4 peer) and (peer near4 group)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/10 18:58
S32	54	((p2p or (peer near4 peer)) near4 networking) and (communication near4 pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/10 19:00
S33	35	((p2p or (peer near4 peer)) near4 networking) and (virtual near4 pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:28
S34	62	((p2p or (peer near4 peer)) near4 networking) and (platform near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/10 19:03
S35	43	((p2p or (peer near4 peer)) near4 networking) and (dependent near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 11:24
S36	84	((p2p or (peer near4 peer)) near4 networking) and (pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:28

EAST Search History

S37	11	"5802313"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 11:31
S38	1	("20030067912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 14:28
S39	80	((p2p or (peer near4 peer)) near4 networking) and (member$5 near4 peer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:35
S40	54	((p2p or (peer near4 peer)) near4 networking) and (member$5 near4 peer) and uuid	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:28
S41	112	((p2p or (peer near4 peer)) near4 networking) and (group$3 near4 peer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:35
S42	83	((p2p or (peer near4 peer)) near4 networking) and (group$3 near4 peer) and member$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:51
S43	361	((p2p or (peer near4 peer))) and (member$5 near4 peer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:51
S44	181	((p2p or (peer near4 peer))) and (member$5 near4 peer) and discover$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 18:52
S45	105	((p2p or (peer near4 peer))) and (member$5 near4 peer) and discover$3 and advertis$6	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 10:26
S46	0	ep1022876	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 10:26
S47	1	("20020029256").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:47
S48	1	("20020188657").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 16:58
S49	1	("4852127").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 17:49

EAST Search History

S50	1	("6199099").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 17:51
S51	1	("6202022").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 17:51
S52	1	("6202023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 18:25
S53	1	("6047327").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 18:28
S54	1	("6185573").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 09:44
S55	1	("6928051").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 09:44
S56	49	(p2p or (peer)) and (pipe near4 advertisement)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:50
S57	36	(p2p or (peer)) and (pipe near4 advertisement) and (virtual near4 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:42
S58	49	(p2p or (peer)) same (pipe near4 advertisement)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:51
S59	53	(p2p or (peer)) same (pipe near4 servic$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:51
S60	51	(p2p or (peer)) same (pipe near4 servic$3) and advertis$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:52
S61	50	((p2p or (peer)) same (pipe)) and (servic$3 near4 advertis$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:54
S62	8	((p2p or (peer)) same (pipe) same advertis$7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:14

EAST Search History

S63	3	((p2p or (peer)) same (pipe) same advertis$7 same virtual).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 15:57
S64	1	("6061796").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/22 15:57
S65	56	"6061796"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:14
S66	2	"6061796" and pipe	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:16
S67	9	"6061796" and peer and advertis$6	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:21
S68	7	"6061796" and peer and advertis$6 and channel and virtual	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:17
S69	4	"6061796" and peer and advertis$6 and (channel near4 virtual)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:17
S70	1	"6061796" and peer and pipe	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 16:21
S71	7	("5491800" | "5550984" | "5602918" | "5657390" | "5724355" | "5790800" | "5802304").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 16:22
S72	2	S71 and pipe	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 16:22
S73	127	(pipe near4 advertis$7)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 16:23
S74	37	(pipe near4 advertis$7) and (virtual near4 channel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 17:43
S75	2	((pipe near4 advertis$7) and (virtual near4 channel)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 17:45

EAST Search History

S76	3	((pipe same advertis$7 same virtual)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 18:13
S77	274	(peer same virtual same channel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 18:13
S78	100	(peer same virtual same channel) and advertis$7	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 18:13
S79	47	(peer same virtual same channel) and advertis$7 and pipe	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 18:19
S80	1	(peer same pipe).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/22 18:19
S81	1	(peer same pipe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/22 18:20
S82	16	(peer same pipe).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:04
S83	0	(peer same pipe same advertis$7 same bind$3 same identifier).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:05
S84	1	(peer same pipe same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:05
S85	1	(pipe same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:06
S86	3	(pipe same advertis$7 same virtual).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:06
S87	111	(pipe same virtual).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:06
S88	11	(pipe same virtual same channel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:09

EAST Search History

S89	23	(pipe same advertis$7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:59
S90	1	(pipe same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 09:09
S91	1	(pipe same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 10:06
S92	16	(pipe same bind$3 same channel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 10:54
S93	90	(advertis$7 same communicat$3 same channel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 10:54
S94	5	(advertis$7 same communicat$3 same channel same peer).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 10:55
S95	0	(announc$6 same communicat$3 same channel same peer).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 10:57
S96	69	(peer same advertis$7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 11:02
S97	20	(peer same announc$7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 11:04
S98	2	(peer same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 11:05
S99	1	(pipe same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 11:05
S100	4	(channel same advertis$7 same bind$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/08/23 11:05

EAST Search History

S101	2	(("6111882") or ("5974045")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 16:14
S102	2	(("6594699") or ("6426945")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 19:16
S103	0	("(stream$3near4delineat$3)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 19:17
S104	284	(stream$3 near4 delineat$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 19:17
S105	7	(stream$3 near4 delineat$3 near5 marker)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 19:17

Results for "((peer<in>metadata) <and> (advertise<in>metadata))" e-mail printer
Your search matched **27** of **1397873** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

1. **Scalable semantic brokering over dynamic heterogeneous data sources in InfoSle trade/**
Nodine, M.M.; Ngu, A.H.H.; Cassandra, A.; Bohrer, W.G.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 15, Issue 5, Sept.-Oct. 2003 Page(s):1082 - 1098
Digital Object Identifier 10.1109/TKDE.2003.1232266
AbstractPlus | References | Full Text: PDF(4730 KB) IEEE JNL
Rights and Permissions

2. **Semantic brokering over dynamic heterogeneous data sources in InfoSleuth™**
Nodine, M.; Bohrer, W.; Hee Hiong Ngu, A.;
Data Engineering, 1999. Proceedings., 15th International Conference on
23-26 March 1999 Page(s):358 - 365
Digital Object Identifier 10.1109/ICDE.1999.754951
AbstractPlus | Full Text: PDF(276 KB) IEEE CNF
Rights and Permissions

3. **XML in an adaptive framework for instrument control**
Ames, T.J.;
Aerospace Conference, 2004. Proceedings. 2004 IEEE
Volume 5, 6-13 March 2004 Page(s):
AbstractPlus | Full Text: PDF(853 KB) IEEE CNF
Rights and Permissions

4. **Description logics approach to semantic matching of Web services**
Colucci, S.; Di Noia, T.; Di Sciascio, E.; Donini, F.M.; Mongiello, M.;
Information Technology Interfaces, 2003. ITI 2003. Proceedings of the 25th International Conference on
16-19 June 2003 Page(s):545 - 550
AbstractPlus | Full Text: PDF(622 KB) IEEE CNF
Rights and Permissions

5. **A secure platform for peer-to-peer computing in the Internet**
Wooyoung Kim; Graupner, S.; Sahai, A.;
System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii International Conference on
7-10 Jan 2002 Page(s):3948 - 3957

AbstractPlus | Full Text: PDF(381 KB) IEEE CNF
Rights and Permissions

6. **Achieving heterogeneity and fairness in Kademlia**
Kadobayashi, Y.;
Applications and the Internet Workshops, 2004. SAINT 2004 Workshops. 2004 Internatic
Symposium on
26-30 Jan. 2004 Page(s):546 - 551
Digital Object Identifier 10.1109/SAINTW.2004.1268686
AbstractPlus | Full Text: PDF(235 KB) IEEE CNF
Rights and Permissions

7. **A non-hierarchical method for distributed hypothesis management**
Pei, G.; Wright, W.;
Integration of Knowledge Intensive Multi-Agent Systems, 2003. International Conference
30 Sept.-4 Oct. 2003 Page(s):517 - 522
Digital Object Identifier 10.1109/KIMAS.2003.1245094
AbstractPlus | Full Text: PDF(590 KB) IEEE CNF
Rights and Permissions

8. **Neuron-a wide-area service discovery infrastructure**
Hung-Chang Hsiao; Chung-Ta King;
Parallel Processing, 2002. Proceedings. International Conference on
18-21 Aug. 2002 Page(s):455 - 462
Digital Object Identifier 10.1109/ICPP.2002.1040902
AbstractPlus | Full Text: PDF(1200 KB) IEEE CNF
Rights and Permissions

9. **Chip trio allows glimpse into Cell**
Greenstein, S.;
Micro, IEEE
Volume 24, Issue 1, Jan.-Feb. 2004 Page(s):76
Digital Object Identifier 10.1109/MM.2004.1269009
AbstractPlus | Full Text: PDF(352 KB) IEEE JNL
Rights and Permissions

10. **Optimal PNNI complex node representations for restrictive costs and minimal patl computation time**
Iliadis, I.;
Networking, IEEE/ACM Transactions on
Volume 8, Issue 4, Aug. 2000 Page(s):493 - 506
Digital Object Identifier 10.1109/90.865077
AbstractPlus | References | Full Text: PDF(392 KB) IEEE JNL
Rights and Permissions

11. **Konark: A system and protocols for device independent, peer-to-peer discovery a delivery of mobile services**
Choonhwa Lee; Helal, A.; Desai, N.; Verma, V.; Arslan, B.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on
Volume 33, Issue 6, Nov. 2003 Page(s):682 - 696
Digital Object Identifier 10.1109/TSMCA.2003.819493
AbstractPlus | References | Full Text: PDF(1063 KB) IEEE JNL
Rights and Permissions

12. **Fixing BGP might be difficult - or not so tough**
Goth, G.;
Internet Computing, IEEE
Volume 7, Issue 3, May-June 2003 Page(s):7 - 9
Digital Object Identifier 10.1109/MIC.2003.1200292

AbstractPlus | Full Text: PDF(915 KB) IEEE JNL
Rights and Permissions

☐ **13. Scalable VPNs for the global information grid**
Samll, S.; Terzis, A.; Monrose, F.; Doshi, B.; De Simone, A.;
Military Communications Conference, 2005. MILCOM 2005. IEEE
17-20 Oct. 2005 Page(s):305 - 311 Vol. 1
Digital Object Identifier 10.1109/MILCOM.2005.1605702
AbstractPlus | Full Text: PDF(432 KB) IEEE CNF
Rights and Permissions

☐ **14. Improved dominating set indices for mobile peer-to-peer networks**
Shanping Li; Wei Shi; Xin Lin; Nizamuddin, C.;
Embedded Software and Systems, 2005. Second International Conference on
16-18 Dec. 2005 Page(s):5 pp.
Digital Object Identifier 10.1109/ICESS.2005.64
AbstractPlus | Full Text: PDF(200 KB) IEEE CNF
Rights and Permissions

☐ **15. Chrome free basic bricks-a determining factor in cement production**
Schmidt, H.-J.;
Cement Industry Technical Conference, 1998. 40th Conference Record. 1998 IEEE/PC/
17-21 May 1998 Page(s):155 - 167
Digital Object Identifier 10.1109/CITCON.1998.679245
AbstractPlus | Full Text: PDF(2516 KB) IEEE CNF
Rights and Permissions

☐ **16. A P2P overlay architecture for personalized resource discovery, access, and shari over the Internet**
Sangpachatanaruk, C.; Znati, T.;
Consumer Communications and Networking Conference, 2005. CCNC. 2005 Second IE
3-6 Jan. 2005 Page(s):24 - 29
Digital Object Identifier 10.1109/CCNC.2005.1405138
AbstractPlus | Full Text: PDF(595 KB) IEEE CNF
Rights and Permissions

☐ **17. PP-COSE: a P2P community search scheme**
Hsing Mei; Chang, S.;
Computer and Information Technology, 2004. CIT '04. The Fourth International Conferer
14-16 Sept. 2004 Page(s):416 - 423
Digital Object Identifier 10.1109/CIT.2004.1357231
AbstractPlus | Full Text: PDF(417 KB) IEEE CNF
Rights and Permissions

☐ **18. An open-ended ball-balancing laboratory project for undergraduates**
Rosales, E.A.; Ito, B.T.; Lilienkamp, K.A.; Lundberg, K.H.;
American Control Conference, 2004. Proceedings of the 2004
Volume 2, 30 June-2 July 2004 Page(s):1314 - 1318 vol.2
AbstractPlus | Full Text: PDF(697 KB) IEEE CNF
Rights and Permissions

☐ **19. GlueQoS: middleware to sweeten quality-of-service policy interactions**
Wohlstadter, E.; Tai, S.; Mikalsen, T.; Rouvellou, I.; Devanbu, P.;
Software Engineering, 2004. ICSE 2004. Proceedings. 26th International Conference on
23-28 May 2004 Page(s):189 - 199
AbstractPlus | Full Text: PDF(786 KB) IEEE CNF
Rights and Permissions

☐ **20. Understanding educator perceptions of "quality" in digital libraries**
Sumner, T.; Khoo, M.; Recker, M.; Marlino, M.;
Digital Libraries, 2003. Proceedings. 2003 Joint Conference on
27-31 May 2003 Page(s):269 - 279

AbstractPlus | Full Text: PDF(282 KB) IEEE CNF
Rights and Permissions

☐ **21. Konark - a service discovery and delivery protocol for ad-hoc networks**
Helal, S.; Desai, N.; Verma, V.; Choonhwa Lee;
Wireless Communications and Networking, 2003. WCNC 2003. 2003 IEEE
Volume 3, 16-20 March 2003 Page(s):2107 - 2113 vol.3
Digital Object Identifier 10.1109/WCNC.2003.1200712

AbstractPlus | Full Text: PDF(538 KB) IEEE CNF
Rights and Permissions

☐ **22. Node-centric hybrid routing for ad-hoc wireless extensions of the Internet**
Roy, S.; Garcia-Luna-Aceves, J.J.;
Global Telecommunications Conference, 2002. GLOBECOM '02. IEEE
Volume 1, 17-21 Nov. 2002 Page(s):183 - 187 vol.1

AbstractPlus | Full Text: PDF(409 KB) IEEE CNF
Rights and Permissions

☐ **23. Dynamic update of aggregated routing information for hierarchical QoS routing in networks**
Ben-Jye Chang; Ren-Hung Hwang;
Parallel and Distributed Systems, 2001. ICPADS 2001. Proceedings. Eighth Internationa
Conference on
26-29 June 2001 Page(s):653 - 660
Digital Object Identifier 10.1109/ICPADS.2001.934880

AbstractPlus | Full Text: PDF(448 KB) IEEE CNF
Rights and Permissions

☐ **24. Reducing crankback overhead in hierarchical routing in ATM networks**
Hsien-Kang Chung; Ben-Jye Chang; Ren-Hung Hwang;
Communications, 2001. ICC 2001. IEEE International Conference on
Volume 10, 11-14 June 2001 Page(s):3125 - 3129 vol.10
Digital Object Identifier 10.1109/ICC.2001.937248

AbstractPlus | Full Text: PDF(484 KB) IEEE CNF
Rights and Permissions

☐ **25. MDP-based dynamic update of aggregated information for hierarchical QoS routin**
Ben-Jye Chang; Ren-Hung Hwang;
ATM (ICATM 2001) and High Speed Intelligent Internet Symposium, 2001. Joint 4th IEE
International Conference on
22-25 April 2001 Page(s):113 - 117
Digital Object Identifier 10.1109/ICATM.2001.932067

AbstractPlus | Full Text: PDF(484 KB) IEEE CNF
Rights and Permissions

1-25

Results for "((p2p<in>metadata) <and> (advertise<in>metadata))"
Your search matched 6 of 1397873 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((p2p<in>metadata) <and> (advertise<in>metadata)) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **A secure platform for peer-to-peer computing in the Internet**
Wooyoung Kim; Graupner, S.; Sahai, A.;
System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii International Conference on
7-10 Jan 2002 Page(s):3948 - 3957
AbstractPlus | Full Text: PDF(381 KB) IEEE CNF
Rights and Permissions

2. **An Agent-Driven, P2P Architecture to Enable Communities of Interests, Resource Discovery, Access, and Sharing**
Sangpachatanaruk, C.; Znati, T.;
Computational Intelligence for Modelling, Control and Automation, 2005 and Internationa Conference on Intelligent Agents, Web Technologies and Internet Commerce, Internatio Conference on
Volume 2, 28-30 Nov. 2005 Page(s):301 - 307
Digital Object Identifier 10.1109/CIMCA.2005.1631485
AbstractPlus | Full Text: PDF(272 KB) IEEE CNF
Rights and Permissions

3. **A P2P overlay architecture for personalized resource discovery, access, and shari the Internet**
Sangpachatanaruk, C.; Znati, T.;
Consumer Communications and Networking Conference, 2005. CCNC. 2005 Second IE
3-6 Jan. 2005 Page(s):24 - 29
Digital Object Identifier 10.1109/CCNC.2005.1405138
AbstractPlus | Full Text: PDF(595 KB) IEEE CNF
Rights and Permissions

4. **PP-COSE: a P2P community search scheme**
Hsing Mei; Chang, S.;
Computer and Information Technology, 2004. CIT '04. The Fourth International Conferer
14-16 Sept. 2004 Page(s):416 - 423
Digital Object Identifier 10.1109/CIT.2004.1357231
AbstractPlus | Full Text: PDF(417 KB) IEEE CNF
Rights and Permissions

5. **A non-hierarchical method for distributed hypothesis management**
Pei, G.; Wright, W.;

Integration of Knowledge Intensive Multi-Agent Systems, 2003. International Conference
30 Sept.-4 Oct. 2003 Page(s):517 - 522
Digital Object Identifier 10.1109/KIMAS.2003.1245094

6. **A rumor-spreading model of service advertisement forwarding in decentralized e-commerce**
Dalu Zhang; Fang Gao; Zhe Yang;
e-Business Engineering, 2005. ICEBE 2005. IEEE International Conference on
18-21 Oct. 2005 Page(s):591 - 594
Digital Object Identifier 10.1109/ICEBE.2005.16

Results for "((peer<in>metadata) <and> (pipe<in>metadata))" e-mail printer
Your search matched 6 of 1397873 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((peer<in>metadata) <and> (pipe<in>metadata)) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **Evaluation of the inter-cluster data transfer on Grid environment**
Ogura, S.; Matsuoka, S.; Nakada, H.;
Cluster Computing and the Grid, 2003. Proceedings. CCGrid 2003. 3rd IEEE/ACM Interr Symposium on
12-15 May 2003 Page(s):374 - 381
Digital Object Identifier 10.1109/CCGRID.2003.1199390
AbstractPlus | Full Text: PDF(401 KB) IEEE CNF
Rights and Permissions

2. **JXTA performance study**
Halepovic, E.; Deters, R.;
Communications, Computers and signal Processing, 2003. PACRIM. 2003 IEEE Pacific Conference on
Volume 1, 28-30 Aug. 2003 Page(s):149 - 154 vol.1
AbstractPlus | Full Text: PDF(509 KB) IEEE CNF
Rights and Permissions

3. **A scalable model for interbandwidth broker resource reservation and provisioning**
Mantar, H.A.; Junseok Hwang; Okumus, I.T.; Chapin, S.J.;
Selected Areas in Communications, IEEE Journal on
Volume 22, Issue 10, Dec. 2004 Page(s):2019 - 2034
Digital Object Identifier 10.1109/JSAC.2004.836010
AbstractPlus | References | Full Text: PDF(1264 KB) IEEE JNL
Rights and Permissions

4. **Performance evaluation of JXTA communication layers**
Antoniu, G.; Hatcher, P.; Jan, M.; Noblet, D.A.;
Cluster Computing and the Grid, 2005. CCGrid 2005. IEEE International Symposium on
Volume 1, 9-12 May 2005 Page(s):251 - 258 Vol. 1
Digital Object Identifier 10.1109/CCGRID.2005.1558562
AbstractPlus | Full Text: PDF(2394 KB) IEEE CNF
Rights and Permissions

5. **The costs of using JXTA**
Halepovic, E.; Deters, R.;
Peer-to-Peer Computing, 2003. (P2P 2003). Proceedings. Third International Conferenc
1-3 Sept. 2003 Page(s):160 - 167

AbstractPlus | Full Text: PDF(241 KB) IEEE CNF
Rights and Permissions

☐ 6. **Design and implementation of a P2P shared Web browser using JXTA**
Nakamura, M.; Ma, J.; Chiba, K.; Shizuka, M.; Miyoshi, Y.;
Advanced Information Networking and Applications, 2003. AINA 2003. 17th International Conference on
27-29 March 2003 Page(s):111 - 116
Digital Object Identifier 10.1109/AINA.2003.1192852
AbstractPlus | Full Text: PDF(419 KB) IEEE CNF
Rights and Permissions

Results for "((p2p<in>metadata) <and> (pipe<in>metadata))" e-mail printer
Your search matched 3 of 1397873 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((p2p<in>metadata) <and> (pipe<in>metadata)) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **Performance evaluation of JXTA communication layers**
Antoniu, G.; Hatcher, P.; Jan, M.; Noblet, D.A.;
Cluster Computing and the Grid, 2005. CCGrid 2005. IEEE International Symposium on
Volume 1, 9-12 May 2005 Page(s):251 - 258 Vol. 1
Digital Object Identifier 10.1109/CCGRID.2005.1558562
AbstractPlus | Full Text: PDF(2394 KB) IEEE CNF
Rights and Permissions

2. **The costs of using JXTA**
Halepovic, E.; Deters, R.;
Peer-to-Peer Computing, 2003. (P2P 2003). Proceedings. Third International Conferenc
1-3 Sept. 2003 Page(s):160 - 167
AbstractPlus | Full Text: PDF(241 KB) IEEE CNF
Rights and Permissions

3. **Design and implementation of a P2P shared Web browser using JXTA**
Nakamura, M.; Ma, J.; Chiba, K.; Shizuka, M.; Miyoshi, Y.;
Advanced Information Networking and Applications, 2003. AINA 2003. 17th International Conference on
27-29 March 2003 Page(s):111 - 116
Digital Object Identifier 10.1109/AINA.2003.1192852
AbstractPlus | Full Text: PDF(419 KB) IEEE CNF
Rights and Permissions

Terms used **peer pipe bind advertise** Found **15** of **185,030**

Sort results by relevance
Display results expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 15 of 15

Relevance scale

1 An end-to-end approach for transparent mobility across heterogeneous wireless networks
Hung-Yun Hsieh, Kyu-Han Kim, Raghupathy Sivakumar
August 2004 **Mobile Networks and Applications**, Volume 9 Issue 4
Publisher: Kluwer Academic Publishers
Full text available: pdf(414.31 KB) Additional Information: full citation, abstract, references, index terms

With the advent of a myriad of wireless networking technologies, a mobile host today can potentially be equipped with multiple wireless interfaces that have access to different wireless networks. It is widely perceived that future generation wireless networks will exhibit a similar trend in supporting a large variety of heterogeneous wireless access technologies that a mobile host can choose from. In this paper, we consider such a multi-homed mobile host and propose an end-to-end solution that e ...

Keywords: bandwidth aggregation, heterogeneous wireless networks, multi-homed mobile host, seamless handoff

2 A scaleable event infrastructure for peer to peer grids
Geoffrey Fox, Shrideep Pallickara, Xi Rao
November 2002 **Proceedings of the 2002 joint ACM-ISCOPE conference on Java Grande**
Publisher: ACM Press
Full text available: pdf(400.08 KB) Additional Information: full citation, abstract, references, index terms

In this paper we propose a peer-to-peer (P2P) grid comprising resources such as relatively static clients, high-end resources and a dynamic collection of multiple P2P subsystems. We investigate the architecture of the messaging and event service that will support such a hybrid environment. We designed a distributed publish-subscribe system NaradaBrokering for XML specified messages. NaradaBrokering interpolates between centralized systems like JMS (Java Message Service) and P2P environments. Her ...

Keywords: JXTA, P2P systems, event distribution systems, grid computing, middleware

3 A receiver-centric transport protocol for mobile hosts with heterogeneous wireless interfaces
Kyu-Han Kim, Yujie Zhu, Raghupathy Sivakumar, Hung-Yun Hsieh

July 2005 **Wireless Networks**, Volume 11 Issue 4
Publisher: Kluwer Academic Publishers
Full text available: pdf(3.04 MB) Additional Information: full citation, abstract, references, index terms

Numerous transport protocols have been proposed in related work for use by mobile hosts over wireless environments. A common theme among the design of such protocols is that they specifically address the distinct characteristics of the last-hop wireless link, such as random wireless errors, round-trip time variations, blackouts, handoffs, etc. In this paper, we argue that due to the defining role played by the wireless link on a connection's performance, locating the intelligence of a transport ...

Keywords: bandwidth aggregation, heterogeneous wireless networks, multi-homed mobile host, seamless handoff, server migration

4 Transport protocols: A receiver-centric transport protocol for mobile hosts with heterogeneous wireless interfaces
Hung-Yun Hsieh, Kyu-Han Kim, Yujie Zhu, Raghupathy Sivakumar
September 2003 **Proceedings of the 9th annual international conference on Mobile computing and networking**
Publisher: ACM Press
Full text available: pdf(577.61 KB) Additional Information: full citation, abstract, references, citings, index terms

Numerous transport protocols have been proposed in related work for use by mobile hosts over wireless environments. A common theme among the design of such protocols is that they specifically address the distinct characteristics of the last-hop wireless link, such as random wireless errors, round-trip time variations, blackouts, handoffs, etc. In this paper, we argue that due to the defining role played by the wireless link on a connection's performance, locating the intelligence of a transport ...

Keywords: bandwidth aggregation, heterogeneous wireless networks, multi-homed mobile host, seamless handoff, server migration

5 Client-server computing
Alok Sinha
July 1992 **Communications of the ACM**, Volume 35 Issue 7
Publisher: ACM Press
Full text available: pdf(7.53 MB) Additional Information: full citation, references, citings, index terms, review

Keywords: client-server computing

6 Connecting middlewares: Hybrid service-oriented architectures: a case-study in the automotive domain
Luciano Baresi, Carlo Ghezzi, Antonio Miele, Matteo Miraz, Andrea Naggi, Filippo Pacifici
September 2005 **Proceedings of the 5th international workshop on Software engineering and middleware SEM '05**
Publisher: ACM Press
Full text available: pdf(882.90 KB) Additional Information: full citation, abstract, references

Vehicles are becoming complex software systems with many components and services that need to be coordinated. Service oriented architectures can be used in this domain to

support intra-vehicle, inter-vehicles, and vehicle-environment services. Such architectures can be deployed on different platforms, using different communication and coordination paradigms. We argue that practical solutions should be hybrid: they should integrate and support interoperability of different paradigms. We demonstra ...

7 Editorial zone: Flow labelled IP over ATM: design and rationale

Greg Minshall, Bob Hinden, Eric Hoffman, Fong Ching Liaw, Tom Lyon, Peter Newman
July 2006 **ACM SIGCOMM Computer Communication Review**, Volume 36 Issue 3
Publisher: ACM Press
Full text available: pdf(260.25 KB) Additional Information: full citation, abstract, references, index terms

We describe a system in which layer 2 switching is placed directly under the control of layer 3 routing protocols on a hop-by-hop basis. Specifically, ATM switching is controlled by IP. We couple each ATM switch with a general purpose computer running IP routing and management protocols. We define a default ATM virtual channel identifier (VCI) to be used for transmitting IP packets over ATM links. We then define mechanisms which allow specific *flows* to be transmitted on specific ATM VCIs. ...

Keywords: ATM, GSMP, IFMP, IP, IP switching, flow labelled IP, ipsilon

8 Semantics and discovery: Cooperative middleware specialization for service oriented architectures

Nirmal K. Mukhi, Ravi Konuru, Francisco Curbera
May 2004 **Proceedings of the 13th international World Wide Web conference on Alternate track papers & posters**
Publisher: ACM Press
Full text available: pdf(113.65 KB) Additional Information: full citation, abstract, references, index terms

Service-oriented architectures (SOA) will provide the basis of thenext generation of distributed software systems, and have already gained enormous traction in the industry through an XML--based instantiation, Web services. A central aspect of SOAs is the looser coupling between applications (services) that is achieved when services publish their functional and non-functional behavioral characteristics in a standardized, machine readable format. In this paper we argue that in the basic SOA model ...

Keywords: metadata exchange, middleware reconfiguration, service-oriented architecture, web services

9 Workshop on compositional software architectures: workshop report

May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3
Publisher: ACM Press
Full text available: pdf(2.91 MB) Additional Information: full citation, index terms

10 Full papers: Reflection, self-awareness and self-healing in OpenORB

Gordon S. Blair, Geoff Coulson, Lynne Blair, Hector Duran-Limon, Paul Grace, Rui Moreira, Nikos Parlavantzas
November 2002 **Proceedings of the first workshop on Self-healing systems**
Publisher: ACM Press
Full text available: pdf(229.18 KB) Additional Information: full citation, abstract, references, citings, index terms

There is a growing interest in the area of self-healing systems. Self-healing does however

impose considerable demands on system infrastructures---especially in terms of openness and support for reconfigurability. This paper proposes that the self-awareness inherent in reflective technologies lends itself well to the construction of self-healing systems. In particular, the paper examines the support provided by the Open ORB reflective middleware technology for the construction of this increasing ...

Keywords: middleware, reflection, self-awareness, self-healing

11 Principled design of the modern Web architecture

Roy T. Fielding, Richard N. Taylor
May 2002 **ACM Transactions on Internet Technology (TOIT)**, Volume 2 Issue 2
Publisher: ACM Press

Full text available: pdf(335.47 KB) Additional Information: full citation, abstract, references, citings, index terms

The World Wide Web has succeeded in large part because its software architecture has been designed to meet the needs of an Internet-scale distributed hypermedia application. The modern Web architecture emphasizes scalability of component interactions, generality of interfaces, independent deployment of components, and intermediary components to reduce interaction latency, enforce security, and encapsulate legacy systems. In this article we introduce the Representational State Transfer (REST) arc ...

Keywords: Network-based applications, REST, World Wide Web

12 Web service composition with case-based reasoning

Benchaphon Limthanmaphon, Yanchun Zhang
January 2003 **Proceedings of the fourteenth Australasian database conference - Volume 17 ADC '03**
Publisher: Australian Computer Society, Inc.

Full text available: pdf(77.74 KB) Additional Information: full citation, abstract, references, citings, index terms

To run a smart E-Business or provide efficient Web service, a web services composition model is needed. Web services composition refers to the process of collaborating the heterogeneous web services. This paper presents a model of web services composition by using Case-Based Reasoning (CBR) techniques. CBR is applied in the process of service discovery, which is the crucial composition process. Our service composition model integrates the two behaviours of proactive and reactive service composit ...

Keywords: case-based reasoning, web service, web service discovery

13 Design and validation of QoS aware mobile internet access procedures for heterogeneous networks

Giuseppe Bianchi, Nicola Blefari-Melazzi, Pauline M. L. Chan, Matthias Holzbock, Y. Fun Hu, Axel Jahn, Ray E. Sheriff
February 2003 **Mobile Networks and Applications**, Volume 8 Issue 1
Publisher: Kluwer Academic Publishers

Full text available: pdf(573.73 KB) Additional Information: full citation, abstract, references, index terms

In this paper, the requirements for personal environments mobility are addressed from terminal and network perspectives. Practical mobility and Quality of Service (QoS) aware solutions are proposed for a heterogeneous network, comprising of satellite and terrestrial access networks connected to an IP core network. The aim, in adopting a heterogeneous environment, is to provide global, seamless service coverage to a specific area, allowing

access to services independently of location. An importan ...

Keywords: QoS, admission control, handover management, heterogeneous networks, laboratory demonstrator, mobile IP

14 Interoperability for digital libraries worldwide

Andreas Paepcke, Chen-Chuan K. Chang, Terry Winograd, Héctor García-Molina

April 1998 **Communications of the ACM**, Volume 41 Issue 4

Publisher: ACM Press

Full text available: pdf(299.48 KB) Additional Information: full citation, references, citings, index terms

15 Composable ad-hoc mobile services for universal interaction

Todd D. Hodes, Randy H. Katz, Edouard Servan-Schreiber, Lawrence Rowe

September 1997 **Proceedings of the 3rd annual ACM/IEEE international conference on Mobile computing and networking**

Publisher: ACM Press

Full text available: pdf(1.86 MB) Additional Information: full citation, references, citings, index terms

Results 1 - 15 of 15

Terms used **p2p pipe bind advertise** Found **2** of **185,030**

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 2 of 2

Relevance scale

1 A scaleable event infrastructure for peer to peer grids

Geoffrey Fox, Shrideep Pallickara, Xi Rao

November 2002 **Proceedings of the 2002 joint ACM-ISCOPE conference on Java Grande**

Publisher: ACM Press

Full text available: pdf(400.08 KB) Additional Information: full citation, abstract, references, index terms

In this paper we propose a peer-to-peer (P2P) grid comprising resources such as relatively static clients, high-end resources and a dynamic collection of multiple P2P subsystems. We investigate the architecture of the messaging and event service that will support such a hybrid environment. We designed a distributed publish-subscribe system NaradaBrokering for XML specified messages. NaradaBrokering interpolates between centralized systems like JMS (Java Message Service) and P2P environments. Her ...

Keywords: JXTA, P2P systems, event distribution systems, grid computing, middleware

2 Connecting middlewares: Hybrid service-oriented architectures: a case-study in the automotive domain

Luciano Baresi, Carlo Ghezzi, Antonio Miele, Matteo Miraz, Andrea Naggi, Filippo Pacifici

September 2005 **Proceedings of the 5th international workshop on Software engineering and middleware SEM '05**

Publisher: ACM Press

Full text available: pdf(882.90 KB) Additional Information: full citation, abstract, references

Vehicles are becoming complex software systems with many components and services that need to be coordinated. Service oriented architectures can be used in this domain to support intra-vehicle, inter-vehicles, and vehicle-environment services. Such architectures can be deployed on different platforms, using different communication and coordination paradigms. We argue that practical solutions should be hybrid: they should integrate and support interoperability of different paradigms. We demonstra ...

Results 1 - 2 of 2

Terms used **peer virtual channel bind advertise** Found **1** of **185,030**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

1 Editorial zone: Flow labelled IP over ATM: design and rationale

Greg Minshall, Bob Hinden, Eric Hoffman, Fong Ching Liaw, Tom Lyon, Peter Newman
July 2006 **ACM SIGCOMM Computer Communication Review**, Volume 36 Issue 3
Publisher: ACM Press
Full text available: pdf(260.25 KB) Additional Information: full citation, abstract, references, index terms

We describe a system in which layer 2 switching is placed directly under the control of layer 3 routing protocols on a hop-by-hop basis. Specifically, ATM switching is controlled by IP. We couple each ATM switch with a general purpose computer running IP routing and management protocols. We define a default ATM virtual channel identifier (VCI) to be used for transmitting IP packets over ATM links. We then define mechanisms which allow specific *flows* to be transmitted on specific ATM VCIs. ...

Keywords: ATM, GSMP, IFMP, IP, IP switching, flow labelled IP, ipsilon

Results 1 - 1 of 1

Web Results **1 - 6** of about **9** for **peer "peer node" endpoint "virtual communication channel" 'pipe advertisement'**

Tip: Try removing quotes from your search to get more results.

[PDF] Jxta Prog Guide.book
File Format: PDF/Adobe Acrobat
Pipe Binding Protocol. The **Pipe Binding** Protocol (PBP) is used by **peer** group members to bind a **pipe advertisement** to a **pipe endpoint**. The **pipe** virtual link ...
www.labri.fr/perso/esnard/Teaching/JXTA/JxtaProgGuide_v2.pdf - Similar pages

[PDF] Survey of middleware for federation, cataloguing, and catalogue ...
File Format: PDF/Adobe Acrobat - View as HTML
by publishing **information** such as a **pipe advertisement**. It includes name, description, ... can be pre-installed into a **peer node** or loaded from the network. ...
www.mssl.ucl.ac.uk/grid/egso/documents/TechSurveyFinalDec03.pdf?PHPSESSID=631a45bc95973f184e5ef41e72cc2cc9 - Similar pages

[PDF] Grid Service Monitor
File Format: PDF/Adobe Acrobat - View as HTML
Pipe Binding Protocol - Provides a mechanism to bind a **virtual communication channel** to a. **peer endpoint**;. **Endpoint** Routing Protocol - Provides a set of ...
www.inf.ed.ac.uk/publications/thesis/online/IT050246.pdf - Similar pages

[PDF] C:/Documents and Settings/Nicolas/Bureau/EPFL-rapport/tex ...
File Format: PDF/Adobe Acrobat - View as HTML
the ID and the **type** of **pipe**. Rendezvous **Advertisement** describes a **peer** that acts ... **peer** ID does not contain any location **information**, the **Endpoint** Routing ...
www.theweb.ch/nt/doc/report_JXTA_DHT.pdf - Similar pages

[PDF] P2P Based Distributed Virtual Reality
File Format: PDF/Adobe Acrobat - View as HTML
information requests. •. The **Pipe Binding** Protocol (PBP). Protocol by which a **peer** can establish a **virtual communication channel** or **pipe** between ...
www2.imm.dtu.dk/pubdb/views/edoc_download.php/3201/pdf/imm3201.pdf - Similar pages

Current Internet-Drafts This summary sheet provides a short ...
The **Pipe Binding** Protocol (PBP) is the protocol by which a **peer** can establish a ... OSPF can carry tunnel **endpoint information** in the intra-AS scope, ...
www3.ietf.org/proceedings/04mar/I-D/1id-abstracts.txt - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.
If you like, you can repeat the search with the omitted results included.

Sign in

Google

Web Images Video[New!] News Maps more »

peer p2p "virtual communication channel" 'pipe | Search | Advanced Search Preferences

Web Results **1** - **10** of about **89** for **peer p2p "virtual communication channel" 'pipe advertisement" "binding infor**

Tip: Save time by hitting the return key instead of clicking on "search"

Scholarly articles for **peer p2p "virtual communication channel" 'pipe advertisement" "binding information" "pipe type"**

Project JXTA Virtual Network - Traversat - Cited by 39
Project JXTA 2.0 Super-Peer Virtual Network - Traversat - Cited by 59
OS support for P2P programming: a case for TPS - Baehni - Cited by 26

[PDF] Project JXTA Virtual Network
File Format: PDF/Adobe Acrobat - View as HTML
information requests. The **Pipe Binding** Protocol (PBP) is the protocol by which a **peer** can establish a **virtual communication channel**. or **pipe** between one or ...
www.jxta.org/docs/JXTAprotocols.pdf - Similar pages

[PDF] Project JXTA Virtual Network
File Format: PDF/Adobe Acrobat - View as HTML
Developers may subtype these **advertisements** to create their own **types**. Subtypes ... **Peer** Discovery. Protocol. **Pipe Binding**. Protocol. **Peer Information** ...
www.jxta.org/project/www/docs/JXTAprotocols_01nov02.pdf - Similar pages
[More results from www.jxta.org]

P2P Networks
Pipe Binding Query Message - a **peer** seeking a **pipe** endpoint bound to a ... Kademlia is a new (circa March 2002) **peer-to-peer information** system that returns ...
ntrg.cs.tcd.ie/undergrad/4ba2.02-03/p9.html - 54k - Cached - Similar pages

JXTA - Wikipedia, the free encyclopedia
Peer Resolver Protocol; **Peer Information** Protocol; Rendezvous Protocol; **Peer** Membership Protocol; **Pipe Binding** Protocol; Endpoint Routing Protocol ...
en.wikipedia.org/wiki/JXTA - 21k - Cached - Similar pages

S bastien Baehni 1 Java User Group Switzerland P2P-JXTA-TPS S ...
File Format: Unrecognized - View as HTML
S bastien Baehni 34 JXTA **Peer Information** Protocol (PIP) Used to get **information** about a **peer Pipe Binding** Protocol (PBP) Allows to establish a **virtual** ...
www.sics.se/~sameh/download.php?target=research%2FP2P%2FJXTA%2FJxta%20Presentation%20from%20Baehni%2Fjugs.pdf - Similar pages

[PPT] Project JXTA
File Format: Microsoft Powerpoint - View as HTML
JXTA is a set of open, generalized **peer-to-peer** (**P2P**) protocols that allow any ... **Pipe Binding** Protocol (PBP) — used by peers to establish a **virtual** ...
lsdis.cs.uga.edu/~kaarthik/SemEnt/Project%20JXTA.ppt - Similar pages

What exactly is **peer-to-peer (P2P)** computing
Pipe Binding Protocol – This protocol is used by peers to establish a **virtual communication channel** between one or more peers. **Peer** Endpoint Routing ...
www.cariboulake.com/news/jxta_sample_v2.htm - 41k - Cached - Similar pages

[PPT] www.cse.fau.edu/~hari/courses/2004/VidCom/esfandia...
File Format: Microsoft Powerpoint - View as HTML
Peer Resolver Protocol (PRP). Send query and receive a response. **Pipe Binding** Protocol (PBP). Used to establish a **virtual communication channel** ...
Similar pages

XML related protocols survey
Peer Discovery Protocol; **Peer Information** Protocol; **Pipe Binding** ... a **peer** can establish a **virtual communication channel** or **pipe** between one or more peers. ...
www.ninebynine.org/IETF/XML/XMLProtocolSurvey.html - 20k - Cached - Similar pages

[PPT] JXTA overview
File Format: Microsoft Powerpoint - View as HTML
Build a small, lightweight platform as the foundation for **peer to-peer** ... **Pipe Binding**. Protocol. **Peer** Info. Protocol. 19. Community JXTA Services ...
druide2004.irisa.fr/slides/Druide-Antoniu.ppt - Similar pages

Goooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 **Next**

Web Results **11** - **20** of about **89** for **peer p2p "virtual communication channel" 'pipe advertisement" "binding info**

[PDF] Triana Applications within Grid Computing and **Peer to Peer ...**
File Format: PDF/Adobe Acrobat - View as HTML
this **information** to perform design-time **type** checking ... When a **peer**. publishes a **pipe advertisement** it only identifies the. **pipe** by its name, ...
www.trianacode.org/papers/pdf/JOGC_Triana_2003.pdf - Similar pages

[PDF] JXTA Overview
File Format: PDF/Adobe Acrobat - View as HTML
advertisement. **Peer**. **Peer** group. **Pipe**. Service. Content. **Peer** status ... **Pipe**: **Virtual Communication Channel**. Non-localized communication ...
datagraal.lip6.fr/Reunions/jxta_datagraal.pdf - Similar pages

[DOC] SE690
File Format: Microsoft Word - View as HTML
Now we need to look at the various **types** of **peer-to-peer** architectures. ... The RVP is used by the **Peer** Resolver Protocol and by the **Pipe Binding** Protocol ...
students.depaul.edu/~hboyles/SE690FinalPresentation.doc - Similar pages

[PDF] **P2P** with JXTA-Java pipes
File Format: PDF/Adobe Acrobat
form based on the **peer-to-peer** paradigm that can be implemented. on every smart device, ... A **pipe** - a kind of **virtual communication channel** - is ...
portal.acm.org/ft_gateway.cfm?id=957350&
type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - Similar pages

d2r: August 17, 2003 Archives
Allows nodes to obtain **information** about other nodes in the network. **Pipe Binding** Protocol. Provides a mechanism to bind a **virtual communication channel** to ...
www.dynamicobjects.com/d2r/archives/2003_08_17.html - 15k - Cached - Similar pages

[PDF] Microsoft PowerPoint - **P2P**-AnwireSchool
File Format: PDF/Adobe Acrobat - View as HTML
Pipe Binding Protocol: **pipe advertisement** to **pipe** endpoint. **Peer Information** Protocol: learn peers' status/properties. **Peer** Discovery Protocol: find peers, ...
grid.ucy.ac.cy/school/presentations/**P2P**-AnwireSchool.pdf - Similar pages

[PDF] SicAri – A security architecture and its tools for ubiquitous ...
File Format: PDF/Adobe Acrobat - View as HTML
two well-known **Peer-to-Peer** (**P2P**) networks and explain the approach that will be ... **Pipe Advertisement**: The **information** provided in the **Pipe Advertisement** ...
www.sicari.de/fileadmin/content/ProtokollEngineering/projektarbeiten/SicAri-PE9-ConfidentialDataExchange.pdf - Similar pages

[PDF] OS Support for **P2P** Programming: a Case for TPS
File Format: PDF/Adobe Acrobat - View as HTML
information about the resource. A typical **peer advertisement** would give ... (PIP, Figure 3), **Peer** Membership Protocol (PMP, Figure 4), **Pipe Binding** Protocol ...
icwww.epfl.ch/publications/documents/IC_TECH_REPORT_200204.pdf - Similar pages

[PDF] JXTA Overview
File Format: PDF/Adobe Acrobat - View as HTML
Pipe. . Service. . Content. . **Peer** status. PeerGroup **Advertisement**:. <?xml version="1.0"? > ... JXTA: open platform for **P2P** services and. applications ...
gforge.inria.fr/docman/view.php/29/180/2002-05-23_DataGRAAL.pdf - Similar pages

[PDF] Chapter 1 RESOURCEMANAGEMENTOFTRIANAP2PSERVICES
File Format: PDF/Adobe Acrobat - View as HTML
straints so that they include **information** about which data-**type** objects they can ... The RVPis used by the **Peer** Resolver Protocol. and by the **Pipe Binding** ...
www.wesc.ac.uk/resources/publications/pdf/ResourceJournal_Triana_2003.pdf - Similar pages

◀ Goooooooogle ▶
Result Page: **Previous** 1 2 3 4 5 6 7 8 **Next**